Missouri Botanical Garden
Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

aphylla (Grammica) Loureiro fl. Cochi 1. p. 212 ed. Willd I. p. 212

aphylla Rafn in Sprengel neue Entdeck. I, p. 145 DC. Pr. IX. 461

applanata n. sp. C. C. Sp. [Embryopsis] = [illegible] =

applanata n. sp. N. Mexico = depressa

approximata Babington Annal & Magaz. of N. Hist. March 1844

Arabica Forsk Descr. N. Arg. p. 165 Choix Cuscut. p. 175 t. 1. f. 2

DC Pr. IX. 453

_____ Wight Ic. IV tab. 1371 = oxyptera Boiss = hyalina Roth.

_____ Forsk secund Herb Ledebour. (Cuscuta in Forskäli scripta)

Arcuata n. sp. Chaubard in hb. (sp. californica)

Arnaudiana Boyer in herb; Engelm in A. Gray Man 2d ed. p. 336

arvensis

Asiatica Pallas = Hb. Retrop. = C. planiflora (approximata)

astyla Engelm Bot Gaz. April 1846 IV. 276 Walp. Rep. VI. 744

= C. monogyna Vahl

Trautvetteri = Melanges Bot II

May 1855

aurantiaca Requien in sched Hb. Mus Paris aliisque

Bertoloni Flor Italica VII. p. 623. (1850) = obtusiflora

australis R. Brown Prod. 491 DC. Pr. IX. 458

No 6. Hamilt Mss 13. p. 65. = obtusiflora

australis Hook fil = N. Tasm = = Tasmanica

Babylonica Aucher Eloy in herb Choix Cusc p. 174 t. 1. f. 1.

DC. Pr. IX. 453

Balansae Boiss & Reut in sched. = C. globulosa Boiss & Reut

Bicuspis n. sp.

Blancheana (= C. alba f. de Bois Diagn. ser. II. part 3 pag 129

(Monogyna) Seymali = Litt (non synon Hb. Delile) C. monogyna

Bonariensis Hook. Bot. Engelm = Bot Jeit IV. p. 278

Walp. Rep. VI, 745 = Gronovii

var calyptrata

botryoides n. sp. Brasil.

Brachycalyx n. sp. Patria

= Europea

Brachystyla C. Koch in Linnaea XXII. 747 Walp. Ann. III. 117

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

~~brachystyla~~ n sp. andina = microstyla

bracteata n sp. ~~n. mex.~~ Gardn!

bracteosa Gaspariniana = Hb. Gussone = C. planiflora (1847) = obtusiflora

breviflora Visiani Flor. Dalmat II. 231. Walp. Ann I. 522

brevistyla A Braun in Pl. Schimp. & Richard Tent fl. Abyss II. 79 Walp Ann III. 716

Burmanni Chois Cand. 177 DC Pr. IX. 454 = C nitida

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

californica Chois Cand. p. 183 (1841) DC Prod. IX. 457

Hook & Arn. Bot. Beechy p. 364 (1841)

Calliantha

~~Calliopes~~ Held & Sartor. = Schl Cameroon A l'Bois Diagn II. 3. 128

= Ephagna.

calycina Webb Phyt. gr. Canar. III. p. 37 tab 142 (Julio 1844)

Canariensis Chois mss in Hb. Mus. Paris

Capensis Chois Cand. p. 175 t. 1 f. 4. DC Pr. IX. 454.

capillaris Reichenb Pl. Crit. V. p. 64 1827 sine descript. (= africana var.

capillaris Wall. Cat. 1321 = Chinensis Lam = critica

capillaris Edgeworth Lin Transact. XX. 86. = Walp Rep. VI. 544

capitata Roxb. fl. ind. I. p. 448 (= rosea Ing. = europea

(capitata in herb Hook. 6. = alba auct.)

cassinata A Br. prodr 491 DC Prod IX. 460 = chinensis

Cassiopes (cav. typ. = Calliopes ?) Diagn Ibid II. 3. 128

Cassia

cassytoides Nees in herb

Cephalanthi Engler = Linn Journ 43 (1842) p. 336 = tenuiflora

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cesatiana Bertol. Flor. It. VII. 623 (1850 = obtusiflora

Chilensis Ker - bot. reg. 7. t. 603. Chois Cass. 179 DC. Pr. IX. 455

Chilensis Bertero Pl. chil. No 940 (= racemosa Mart
= odorata Chois non Ruiz & Pav

Chilensis Bertero Pl. chil No 205 = corymbosa Chois non Ruiz & Pav.
= racemosa Mart.

Chilensis Hortul = Gr Gronovii var calyptrata

Chinensis Lam. Encyc. Meth. II. p. 229. DC Prod IX. 457.

β. minor Chois. Cass. t. 3 f. 4. fide Clarke in DC. Pr. l. c.
chinensis choisy ex Pasta (Sp. Willd. 1320/3) = G. obtusiflora var latiloba
chlorocarpa Ogden in A Gray Man. 2nd ed. p. 337

chrysocoma Ledebour in sched. Desmoulins Etudes p. 71
= obtusiflora

ciliaris (Hohenack. Pl. Kotschy), Boiss diagn pl. or. II. 3. 129.

citriodora Schlecht. in Linnea XXII. p. 808 Wrlg. Ann III. 118
= racemosa?

colorans Maxim Primit Flor Amur (ex hb. Acad Petrop) Isis St Catharine, Brasil.
= reflexa var?

compacta Jacq in herb. Chois. Cass. 185 t. 4 f. 2 DC Pr. IX. 458

Compositarum (Lepidineae) Ley - Sill Journ. 43. (1842) p. 344 = glomerata

congesta Benth. Bot. Sulph. 138 Wrlg. Rep. VI. 546.
= amoena - pauciflora

congesta Beyrich in herb. = Gr inflexa

Connivalis n. sp. Brasil

coronata Beyrich - Herb = Gr. compacta

coryli Ley: - Sill Journ 43 (1842) p. 337 = inflexa

corymbosa R & Pav. Fl. Peruv I. 69 t. 105. b. = Longiflora var.

corymbosa Chois Cass. p. 180 DC Prod IX. 456
(Bertero No 205) = Racemosa Mart

Cretica Tournef cor. 45 = palaestina Boiss.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5163

cristata n.sp. Brasil

cupulata Engl. Bot Jeit. April 1846. p. 276 Wrlp Rep. VI. 744
= pluriflora

cuneata n.sp. Oregon. var C. Gracei

Cuneata
cuscutoides (Epilobella) Pfeiff. Bot. Jeit. Octo 1845
= Epilinum. III p. 673

cuspidata Eng = Bot. Journ N. Hist V. p. 224 Bot Jeit. Apr 1846 p. 277
Wrlp. Rep. VI. 744 Wrlp. Ann III. 117

cymosa Willd nl x R & Sch. Syst 6. p. 205 = C. Topayanensis
HBK !

~~cymosiflora n.sp. Venezuela~~

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

decora Lazulen. = indecora Choris.

~~(Dendrobia Engl n sp = Zauru~~

densiflora Lagas. Will. Ann. Soc. Linn Paris I p. 26 & 1822 (only the name!)
& IV. p. 281 (1826) first published = C. Epilinum.

Densiflora Hook fil flor. New Zealand 1853 I pag. 186

(~~depressa~~ n. sp. N. Mex. = appendiculata)

Deserlorum Mart herb. = Cumbellata HBK.

Diaphana Wendroth. flor. Hass. p. 364 = racemosa

~~Dodigantha~~ n. sp.



elatior Choix Cens. 177 = macrantha Don = reflexa var

elegans Boiss & Balansa = Boiss Diag. pl. or. fl. 3. 129.
Noe = Hb. N. 518 = brevistyla

Epibothrys = Cuscuta in uva s. uva barbata

~~Epidendron L. sp. Tex~~

Epilobium weihe Arch des Apothek. VIII. p. 54 1824
Reich it. t. 693. DC. Pr. IX. 452

Epicaïdea Bernhardi Allg. Thurig. Gartenzeitg 1844. N. 4.
= europea squamata

Epiploranum Webb in ~~Bolan~~ Bourgeau. N. 1420

Episonchum Webb = Phyt. Canar. p. 36 pl. 141

Epistigma
Epithymum Murray in Lin Syst veg. d. 13.

Epithymum Sievers apud Pallas = C. pedicellata fide Ledb.

Epithymum Thuill Fl. Par p. 88 = C. Europaea

Epithymum acced. Fl. Lugd. acced. plur. = C. planiflora

——— Guss. Fl. Sicula p. 212 = planiflora

Epitriphyllum Bernhardi Allg. Thuring. Gartenzeitg 1844 N. 4 = C. Schkuhriana
C. europaea
C. squamosa

Cuscuta
Europaea Lin sp. 180 (excl. var. β)

Engl. bot. t. 55 = C. Epithymum. fide ... squamosa,
unde = C. europaea reflexa ?

Schkuhr I. p. 89. t. 27 fig C. = europaea reflexa

var pontica C. Koch Linn. 19. p. 19.

var reflexa Fries Summ. veg. Sc. I. p. 191 = Schkuhriana

exaltata (Texas ?)

exigua Demidow = Hb. Mus Paris = sibirica ~~sp~~ obscura var

filiformis Lam. fl. Fr. 2. p. 307 α = europaea
β. = Epithymum
= C. Schkuhriana

fimbriata Bunge in Hb. Acad Petersburg

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

flava Sieber = Pall rend. Beitr = mongyna für Ledeb. Chorol

floribunda H.B.K. n. gen. & sp. III. p 123 DC Pr. IX. 459

foetida H.B.K. n. gen & sp. III. p. 122 DC Pr. IX. 460 :
..... Hook & Arn = Bot Beech = gracillima
Frutirum Bertol Mis - bot. X. 29. Schlecht. bot Jrit. IX. 919.
walp. Ann III. 118. = Gr compacta

fusiformis (non fusiformis et habent auctores omnes)
wild in hort et A & Sch. 6, 209. = Cassytae species capensis.

gamostyla Engelm. = M. textuosa = dentobis

gigantea Griffith. notulae Calcutt. 1847 I p. 243 = ? affghana

globiflora n. sp. 214 Bolivia

~~glandulosa a Tr.~~ (~~lapidosa~~)

~~globiflora n. sp. 214~~ globularis Bertolon Fl. Ital VII. 625 = C. microstha Tin non Chois = ~~orientalis~~ palaestina
~~globulifera~~ mutt = Hf & Tod Fl = C. arvensis Bayr.

globulosa Reichb. Bot Sulph. 138 Urlg. Rep. VI. 545. = Americana var grandiflora

globulosa Boiss & Reut. = Boiss diag. pl. or. II. 3. 126 (1856)

glomerata Chois Cucr. 184. t. 4 f. 1. DC Pr. IX. 458. = ~~Gplandosa~~

Godroni Desm. Fl. p. 60. ≠ C. alba. Godron & Gr. fl. fr non Prsl
~~fl. fr. Desm.~~

gracillima n sp. = Mexicana

Grau ~~Hook~~ grandiflora H.B.K. n. gen & sp. III. 123 t. 213. DC Pr. IX. 457

grandiflora Wallich Cat. 1318 - = E. macrantha Don = reflexa var.

graveolens H.B.K. n. g. & sp. III. 122. Gr Americana

~~Gridi & Rapp~~ = Hf Hook = C. nitida

Gronovii Willd rel in A & Sch. VI. 205 Chois Cucr 185. t. 4 f. 3
DC. Pr. IX. 45....

vgl. aperta = C. laurina

vgl. dalypetala = Bonariensis

grossa n sp. Bolivia (lapidosa)

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Jussonii Jaspari = Hb. Jusson. = Epitegon subulata

Gymnocarpa n sp. = Sandwichiana β. Mimosae Hook fil.

halophyta Fries nov. Mant. I. 8. Summa Veg. Scand I. 191
= Europaea

Hassiaca Pfeiff. Bot. Zeit. Okt. 1843. p. 705 = racemosa

hispidula Eng. = Sill Jour 43 (1842) p. DC. Pr. IX. 461
= decora var

Hookeri Lond. = reflexa var venurosa Hook (ex Lond. Nom)
= exPlanta

hyalina Roth. n. sp. p. 100 ex A & Sch. 6. p. 203 DC Pr. IX. 460
hyalina DC. Prodr. Cat. hort. Monsp. ed. 3 1372 = Richardsii var
hyalina Boiss. Fl. orient = C. Europaea

imbricata Nutt = Hb = compacta

inclusa Choisy Conv. 179 t 2. f. 2 DC Pr. IX. 455 = longiflora

indecora Choisy C. 182. t. 3. f. 3 DC Pr. IX. 457 = decora

inflexa Lagasc = Convolvi olim

inodora Hb. Willd. = Gronovii W obtusiflora

~~insularis n. sp.~~

intermedia Choisy C. 179 t. 2. f. 3 DC Pr. IX. 455 = odorata R&P.

Jalappensis Schlecht. Linn. VIII. (1833) p. 515.
Japonica Choisy in Zoll. Jap. Syst. Verzeichniss Zürich 1854 p. 134 & Zoll. Pl. Javan.
Zollinger Java N. 355 Geneva 1858 p. 30.

Kotschyana Boiss Diag. pl. or. I. 7. 29.

Kotschyi Desmoulii Clarke p. 56 = subsimplex

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5165

Kurdica n. sp. Hohenacker, No 388. b

laxiflora Benth. Bot. Sulph. 138. Wlp. Rep. VI. 545 = popayanensis

Lehmanniana Bunge (in Hb. Reg. Petr.) in Reliq. Lehm. p. 396 (1851)

leiolepis Miquel in Linnaea 18. 247 = Americana
Wlp Rep. VI. 545

Lepidanche

leptantha n. sp. n. mex.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

leucosphaera Don's Heldr. = sched vide Don's Diag. II. 3. p. 127
Ligustri Lindberg Bot. Not. 1852. p. 23 & Areschoug Observ. Cas. Suecica 1853. p. 17. = C. Europea
longiflora Jacq. Hb. = Hk. Hooker = planiflora 1787 = ex parte = vibirnifolia Endlich = Popayan & Stylosa
lupulijormis Knock Siles. p. 261. tab. 6.

Lonicera

lostaminea n sp.? Australia ? ? ?

macrantha Don gen syst. 4. 305 DC. Pr. 18. 455 = Sieboldiana var
macrantherea Heldr. & Sartor Don Diag II. 3. 126 = C. Epithymum
macrocarpa Don (Schrenk) ex Steudel confounded with macrantha?
macrostyla Decaisne in herb. = Abyssinica Rich
major Bauh. pin 219. DC. Fl. Franc. 644 DC. Pr. IX. 452
= Europea
major Koch & Ziz Cat. palat p. 5 = Epilinum
megalantha Steud. nomencl. = macrantha Don
microantha Chois Conv. 175 t. 1. f. 3 DC. Pr. IX. p. 453.
microantha Tineo = Guss. Fl. Sicul. Syn. II. 887. (1844)
= palestina
— — Martius = Hb. = parviflora
microantheides Boiss (Chois) = calycina

microcephala Welwitsch (Nemoea sobra apud Desmoul.) (Welwitsch Flor Lusitan 1048) = Epithyon
K. Algar. 491 ericifl
Exsppa = H. Mus Paris = pleniflora Tenori

~~microstyla~~ Br. sp. (Anders)

nigrans (Euphrasia) Pfeiffer Bot. Zeit. Oct. 1845. III. 674
= racemosa

Millettii Hook & Arn. Bot. Beech. p. 201 DC Pr. IX. 460 (China)
= obtusiflora

~~Minosae~~ Hook. fil. " subsp of C. Sandwichiana " = gymnocarpa

~~miniacea Mart. & Spix Itin. I. 286~~ = racemosa var.

~~miniata Mart. Reise I. 286. (1823.)~~

minor Bank. pic 219 DC. H. fr. III. 644. DC Pr. IX. 453.
minor and plen. flor. Ear auct. = (= C. Epithyon
pleniflora var.

monogyna Vahl Symb II. 32. (1791) DC Pr. IX. 455 = ~~obtusa~~

β. iberica C. Koch in Linnea 22. p. 747. = ~~obtusa~~
= Monogyna

monogyna Schr. Fl. Bohen = C. europaea

Monogynella
neuropetala Lagasca Sill. Journ. 45. (1843) p. 75 (1845) Wolf: Ann. III. 117
Boston Journ. V. 223
DC. Pr. IX. 461 = decora

nitida E. Meyer mss. in Drege pl. exsicc. Choisy Cusc. 177 t. 2 f. 1
DC. Prod. IX. 454

~~rodigera sp. Cusk.~~

obtusiflora H. B. K. n. gen & Spec. III 122

obtusiloba ~~Wallr.~~ var of C. Epithyon.

odontolepis
odorata R & Pav. H. Per. I. 69. t. 105. f. a.

odorata Choi Cucr. 180. DC. Pr. IX. 456 ~~(Benth. Pl. 940)~~
= C. Chilensi Ker. = ~~ratemosa~~ Mart (~~Nov.~~ Sp.)

odonta Poeppig Diar. n. 261 = C. Chilensis

orientalis Tourn cor 45. = ~~Vahliana~~ monogyna
oxyacapa Engelm. in Herb. = rostrata.
oxypetala Boiss diagn. ff. 3. 130. (Arabia Wight non Roy
= hyalina Roth fide Boiss)

Parkystigma

Palaestina Boiss. diag. I. X. 11. 86. ~~= alb. fide Boiss~~
wlp. Ann III. 118

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5166

papillosa (apris) var of C. planiflora

paradoxa Rafin ann. nat. 1820. p. 13. DC. Pr. IX. 461.
= glomerata Choi

partita Choi Cucr. 188 t. 5 f. 3. DC Pr. IX. 460

—

paniflora a. sp. brasil
panyflora Wilds hb. 3163 = umbellata. Martius
—— Nutt in Hb = inflexa
patens Benth. Bot Sulph 35. wlp Rep. VI. 546 = longiflora

~~paniflora Tenore in Hb. Mart~~ = ovalis Swartz

pedicellata Ludb. Fl. Altai. I. 293. Ic. t. 234. DC. Pr. IX. 453

pedunculosa Kotschy in ~~Boissier~~ 388. a. ≠ C. balearica ~~Boiss~~ Choi

pentagona Cay. = Sill Journ 43 (1842) p. 340. DC. Pr. IX. 461
pentandra Heyne = Hb. Acad. Petersb. = C. reflexa = arvensis
Persica Decaisne = herb. Mus. Paris Fl. Mediterr.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Pfeiffera

planiflora Tenore Syll. fl. neap. 128. & Fl. Nap. 3. p. 250 tb. 220 f. 3 (fig 68 - 234)

planiflora Koch Synops. fl. Germ (1844) p. 570. Reichenb. fl. germ exs. (1824-29)
№ 2069 = Epithyum var.

planiflora Kunze in R. Willk. (№ 303) Flora 31 (1846) p. 655 (my fig 155. 146)
polyantha Shuttlew. in sched. = C. Gronovii fl. mexic.

Polygonorum Eng. = Sillim Journ 43 (1842) p. 342. DC. Pr. IX. 461
= chlorocarpa

Polygonorum Casati Cat. Sem. Hort. 1849 p. 22 in Linnaea 24. p. 199 (1851) = obtusiflora var

Popayanensis H.B.K. n gen. & sp. III. 123. DC. Pr. IX. 460 = longiflora var

Popayanensis Poepp. in sched. = C. microphylla & racemosa var

prismatica Pav. mss. Choisy Cucr. 182 t. 3. f. 2. DC. Pr. IX. 457
pulchella n. sp. affyla = cognata R & Pav.

pulcherrima Scheele Linnaea XXI. 750 (1848) Wlp. Ann. III. 118.
= Dicon

pyrrhantha Bentl. Pl. Hartw. p. 226. Wlp. Rep. VI. 545
= petiolaris.

racemosa Mart & Spix itin I. 286. Choisy C. 181. t. 3. f. 1)
DC. Pr. IX. 456

recurva n sp

reflexa Roxb. corom II p. 2 t. 104 Flor ind. I. 446 DC Pr. IX. 457.

reflexa Hook exot. Fl. t. 150

reflexa Decaisn Hb. Timor p. 66 = M. timorensis

remotiflora Bentl. Miq. bot. X. p. 30. Bot. Jahrg IX. 919
Wlp Ann III. 117 = comperta

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

= C. australis sensu DC.

Rogowitschiana Trautvett. in Melanges biologiques T. 2. 16/28 Mars
rosea Jacquemont = hb. capitata Roxb.

(1855)

rostrata Shuttleworth in sched. Engl. in Boston Journ Nat Hist.
Bot Zeit. April 1846. p. 278. Wlp. Rep. VI. 745. Gray Manual
2d ed. p. 527

rubricaulis.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5167

sagittata Gaudich = C. Gaudichiana
Sandwicensis var Mimosae Hook fil = gymnocarpa
Sandwichiana Chois Cusc. 184. t. 5. f. 4. DC. Pr. IX. 458.

subsp. Mimosae Hook fil. = gymnocarpa

Saussuri Eng in Sill Journ 43 (1842) p. 339. = Gronovii var.

scandens Brot. Lusit. I. 208 = C. monogyna fide Chois.
schinoides (Schreber) Lin sp. 1662 Nov Act. Ups. I. p. 91 t. 5. f. 1 = C. Africana
Schizyziana Boiss diag. or. I. 9. 86 Wlp. Ann III. 117 = C. Oxyacantha var. monogyna
Schkuhriana Fisch. Bot Zeit. Rss. 1845. p. 673 = C. europaea
segetum Rota in Giornale botan. ital. ann 2. p. 249 = C. europaea vitiae
Sicula Tineo (ubi? in plant. flora) sec. Spr. = HG. Castelli = Todaro. ex siticis missum pl. in museo patav.
Sidarum Lisch. in HG Hook. (Oaxaca) = grandiflora
(Sinaica Hegr. HG = Chinensis Lam. fide Willd. Cat 1320.2
spectabilis Chois Cusc. 187. t. 5. f. 1. DC Pr. IX. 459.
= C. Azarolus var.
sphaerocarpa n sp. Venezuela
squamata n sp. N Mex

stenolepis n sp. (radix)

stylosa Chois Cusc. 187 t. 5 f. 2. DC Pr. IX. p. 459 = longifolia var.
suaveolens Scringe subsp.
subinermis Desv. & Hilg. Pan-Am. Rail Road Rep. V. 3. p. 11

subtilis Chambard in HG Delessert = gracilima

subuniflora C Koch in Linnaea 22 p. 748 ≈ Walp Ann III, 117 ??

suaveolens Seringe Ann de Sc. phys. & Nat. Lyon III. pag 1840
Lechevr Bot. Jerb. I. p. 136 (1843) = racemosa

subulata Tineo in Guss. Flor Sicil Synops. II, 888 = (epithyum var.
Sucuata
Salicata Roxb. Fl. indica (ex Wallich Cat 1320 ½ chinensis)
Suriname[n]sis Schilling de Lepra p. 200 t. 2. = Amerdam ?
Systyla Maximowicz Prim flor. Amur. (= Hb. Acad. Petersb.)
tasmanica n. sp. = australis Hook fil in Fl. tasman. p. 278
tenuiflora Engl. = Gray Manual 2d ed. pp. 336

tetandra Moench meth. 461 = Europaea

tetraspermа Jan (Parma = Hb. Shuttleworth & Paris
Texensis = gamosepala Torr. = diandra = Europea
Timorensis Dne = hirt.
Tinctoria Mart in herb.

Tinei Insenga (Mss) in Tin. R. mar Sicil p. 14
" = C. australis fide Walp. Ann. I. 522 (stigm. rep. = hortis)
not found in the plan, cited
tuchorhyta n. sp. for spec authentic
triflora E. M. in Sched. Cal. Drag 7814 = Hb. Florentin = Cassytha spec.
Tripolii Babingtonii Phytol I. p. 467 (1843) = Epithym
Annals & Mag. Nat. Hist. XIII. (1844) p. 252

tubulosa Rudge Cat. p. 215 = C. Europaea
Tunetana vix C. Epithym. fl. majoribus
turgida (alba, algeria, Epirotica)
umbellata HBK. nov gen & sp. 3. p. 121. DC. Pr. IX. 460

umbrosa Beyr. in Hook fl. bor am. II. 77 = Gronovii
— — in Gray Manual 2d ed. 1856 p. 336. = reflexa.
— — in herb. Berol. Goettng. Lips. species propria
undulata.
undulata Kunze Fl. Wilk N 263 in Flora 1846. 1 Nov.
pag. 651 Walp. Rep. VI. 744 = pluriflora

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Uva barbata = spuria gaudichaudiana (Gaertneriana Schlechtendal)
= Uva Vitis vinifera parasitica.

Vahliana (monogyna) Desmoul. Etudes p. 65. = Mougeotia

vernosa = Lyngb. = Silliman Journ. 43 (1842) p. 341.
DC Fl. IX. 461. = anolasis var

vernosa Lyngb. Brit. fl. gard. t. 6. = reflexa fide Chois.

Vicia Kirschlegeriana Schultz = Desmoulins Etudes p. 77
pro varietate ad V. Kirschlegeriana attributa
forma est C. europaea fl. majoribus

vulgaris Bastard. 56. = Epilinum fide Reichenb.
fl. exsicc. p. 586

vulgaris Pers. syn I. 289 = Europa.

" " Richinger Fl. der Lid. Ven. p. 70 " " " (Shuttleworth Bernoon)

vulgivaga Lagasca Ill. Journ 43. (1842) p. 338.
= C. Gronovii

Xanthorhastos Mart herb.

" Xanthonema, Hort Paris" = Herb. Mus Florent. = Epilinum vulgare Gronovii
Moench

MISSOURI BOTANICAL GARDEN
SCHUMANN PAPERS
8915

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Stockh. April 30 1870

Mohl in Bot. Zeitung 11 März 1870

28 jg 153

Cuscuta strobilacea Liebm. in Forhandl

ved de skandinav. Naturf. etc.

Christiania 1847. p. 194

Oaxaca, Pringle Nr. 1577 in Herb.

Cuscuta Sidarum Liebm. ibid —

Oajaca

Both are, when in flower, without

stems — the inflorescence itself

only exists and roots in the nurse

plant. Liebmann ibid —

and after him Mohl

See also Ray Society (1859)

there pg 459 about the flowering

part of stem being isolated & buried

in stem of mother plant.

p. 488 Syst. of C. grandiflora (Sidn

& p. 570 Syst. of C. glomerata.

As C. Sidarum is published, the

name ought to have precedence over

grandiflora — strobilacea is unknown to me

5169

MISSOURI BOTANICAL GARDEN
ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5
1

Lepidanche pogostigma

β. neuropetale Illinois — Florida —
Texas Houston to San Antonio on : Liatris, Hypoxis
Helianthus, Solidago Rudbeckia, Ptilimnium
August
Rocky Mountains ! Fremonts 2d Expdit. № 485 - 1843.
a smaller form, loosely flowered (L. in Sh. I. 124)
on the Prairies near the Brazos, on Schlotheimia,
Liatris, Euphorbia : July.

γ. littoralis Galveston, : May on Lycium,
Bonikia, California, Dun

Lepidanche, gamostyla

Texas on the smaller streams near San Antonio
& New Braunfels : Aug & Sept. — on bushes
: thickets, even covering young oaks, 25 feet
high !

5170

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN